


Temporal Graph Mining for Fraud Detection Part I



Christos Faloutsos
CMU



Pedro Fidalgo
Mobileum



Mirela Cazzolato
USP




Bird's eye view

- Part#1: Introduction – types of fraud
- Part#2: Graphs Mining – patterns and tools
- Part#3: Visualization - conclusions

'Recipe' Structure:

- Problem definition
- Short answer/solution
- LONG answer – details
- Conclusion/short-answer




Graphs are everywhere!

- E-commerce
- Social networks
- Cyber-security
- Bio-informatics
- ...



e-commerce examples

Who-buys-what




e-commerce examples

Who-buys-what


Who sells what

Who reviews what



Social networks

 Who-friends-whom



Social networks




Who-friends-whom




Who-follows-whom

Who-retweets-whom



Cyber-security

Who-buys-what
Who-sells-what
Who-reviews-what



Which_machine - connects_to - what

...

<subject> related-to <object> : graph


Biology/medicine

- Protein-protein interaction networks
- Drugs and side-effects
- Symptoms and disease



Time-evolving graphs

- What is ‘normal’? suspicious? Groups?





Bird's eye view


- Part#1: Introduction - motivation
 - Types of fraud
- Part#2: Patterns and tools
 - Static graphs
 - Time evolving graphs
- Part#3: Visualization - Practitioner's guide
- Conclusions

(multiple) types of fraud

- F1) E-commerce
- F2) Social networks
- F3) Phone-call graphs
- ...


F1: Fraud in e-commerce

- ‘brushing’ ([Wikipedia](#); [WSJ](#))
 - Un-wanted packages, to boost ‘sales’



F1: Fraud in e-commerce

- ‘brushing’ ([Wikipedia](#); [WSJ](#))
 - Un-wanted packages, to boost ‘sales’
- Buyer-seller collusion
- ...



F2: Fraud in social networks

- Fake twitter followers





\$0.02 Per Follower

F2: Fraud in social networks



“Block”





Inferring Strange Behavior from Connectivity Pattern in Social Networks; Meng Jiang, Peng Cui, Shiqiang Yang, Alex Beutel, Christos Faloutsos; PAKDD'14

F2: Fraud in social networks




“Block”




Inferring Strange Behavior from Connectivity Pattern in Social Networks; Meng Jiang, Peng Cui, Shiqiang Yang, Alex Beutel, Christos Faloutsos; PAKDD'14

F3) Phonecall graphs

- Telemarketers
- ‘wangiri’ ‘one-ring scam’
 - [Europol](#); [AT&T](#)



- Telephony Denial of Service ([DHS](#))




Fraudulent Behavior: "Know Thy Enemy"




Indicator signs for some of the fraudulent behaviors.
 +(/-) means abnormally high(/low).


	<i>out-degree</i>	<i>in-degree</i>	<i>in-weighted-deg.</i>	<i>out-weighted-deg.</i>	<i>in-call-count</i>	<i>out-call-count</i>	<i>IAT</i>	<i>density</i>
Fraud Type								
Revenue Share (IRSF)	+	-	-	+		+		
Arbitrage	+	-	-	+		+	-	+
Voice Interconnect Bypass	+		-		-	+	-	+
Fraud Method								
CLI Spoofing	+			+				-
Wangiri	+			+		+		
Robocalling	+	-		+				+




F4) Money Laundry



F6) Terrorism Networks (9/11)





F5) Criminal Associations (BFP)



F5) Telecom Fraud (Credit Cards)

- Bridge nodes with low degree
- Interconnected Hubs
- Strategic position
- High Influence
- Roles in the network (Control)



(multiple) types of fraud

- F1) E-commerce
- F2) Social networks
- F3) Phone-call graphs
- F4) Financial Fraud
- F5) Money Laundering
- ...